



Setting new standards in aluminium windows

LM 4200 – The new generation of hardware

This clamp-on hardware has been made user friendly by reflecting market requirements. The soft design, rational and environmental packaging with sensible use of resources are in line with modern trends.



Particularly robust

Aluminium windows withstand wind and rain, being durable and weatherproof. Aluminium window profiles are virtually maintenance free retaining value and quality throughout their lifetime.



...for today's architecture

Light and convenient

The present architecture is characterized by extensive glazing. The strength and stability of aluminium allows this form of building to use much less frame material.

Even the larger sizes of aluminium doors and windows are easy to operate.



Versatile and attractive

Differing profiles and window shapes with various colour options make attractive, individual facades possible.



LM 4200 – the hardware

Slim flush sightline

Top and bottom hinges fit flush with the sash profile.

Reliable and durable operation

SIEGENIA-AUBI LM 4200 tilt and turn fittings for aluminium windows and doors are the benchmark for functional quality hardware. They fulfill the requirements of the RAL F130 standard.



Securely designed connection
between the tilt stay and the
top rebate hinge.



Easy sash height adjustment

of the bottom hinge with the sash
in the tilt position.



LM 4200 tilt and turn hardware




LM 4200 turn only hardware

The advantages

- Pre-assembled components
- The hinge side is optically the same for all window types
- Non-handed hardware
- Pre-assembled hinge pin security
- Modular system means fewer components per packaging unit
- Now only two stay sizes
- Identical stays for tilt and turn and tilt before turn
- Turn sash stay with self tapping screws eliminates drilling
- Cost-effective assembly and simplified stock holding due to less components
- Frictionless, easy operation thanks to use of plastic slides
- Optional RAL colours are available

The same hardware components for all windows types





VS LM 4200-DK
Locking side - tilt and turn



VS LM 4200-TBT
Locking side - tilt before turn



VS LM 4200-D
Locking side - tilt only

Versatility as required

The SIEGENIA-AUBI solutions:

VS LM 4200-DK

Mishandling device to DIN 18360 is integrated into the top corner drive. The visually prevents deliberate manipulation of this mishandling device.

VS LM 4200-TBT

Tilt before turn locking side function. Tilt locking is vertical.

VS LM 4200-D


Practical locking for side hung window.

Each locking side has the advantage of having the same operating rod cutting dimensions.

New accessories for the SIEGENIA-AUBI LM range

Routed-in drive gear

The new routed-in gear box takes a 7 mm square spindle. With a backset of 23 mm, this drive gear can also be used in narrow sash profiles.



Clampable secondary sash gear

for profile systems with a double groove (10 mm).



Espagnolette shootbolt

for profile systems with a double groove (10 mm).



SIEGENIA-AUBI KG
 Beschlag- und Lüftungstechnik
 Industriestr. 1-3 · D-57234 Wilnsdorf
 Telefon +49 271 3931-0
 Telefax +49 271 3931-333

Zum Grafenwald · D-54411 Hermeskeil
 Telefon +49 6503 917-0
 Telefax +49 6503 917-100

www.siegenia-aubi.com
post@siegenia-aubi.com

Benelux:
 SIEGENIA-AUBI KG
 Derbystraat 49
 B-9051 Sint-Denijs-Westrem
 Tel. +32 9 2 81 13 12 · Fax +32 9 2 82 80 23
info-B@siegenia-aubi.com

China:
 SIEGENIA-AUBI Ltd.
 A1 Building of Xin-Cheng Industrial Park
 Ru-Yi-Dong-Lu
 East Area of BDA (Yi-Zhuang)
 PRC-Beijing 100023
 Tel. +86-10-8739 8951/52/53 · Fax +86-10-8739 8976
info-CN@siegenia-aubi.com

Frankreich:
 SIEGENIA-AUBI SAS
 8, rue Jean Monnet
 F-68390 Sausheim
 Tel. +33 3 89 61 81 31 · Fax +33 3 89 61 90 70
info-F@siegenia-aubi.com

Großbritannien:
 SIEGENIA-AUBI Ltd.
 Richardson Way · Cross Point
 Coventry CV2 2TA
 United Kingdom
 Tel. +44 2476 62 20 00 · Fax +44 2476 62 23 64
info-UK@siegenia-aubi.com

Italien:
 SIEGENIA-AUBI Srl.
 Via Varese, 36
 I-20020 Lainate MI
 Tel. +39 02 935 360 1 · Fax +39 02 937 990 43
info-I@siegenia-aubi.com

Österreich:
 SIEGENIA-AUBI GES.M.B.H.
 Gewerbestraße 5
 A-5301 Eugendorf
 Tel. +43 6225 83 01 · Fax +43 6225 75 15
info-A@siegenia-aubi.com

Polen:
 SIEGENIA-AUBI Sp. z o.o.
 ul. Ossowskiego 64
 PL-46-203 Kluczbork
 Tel. +48 77 44777 00 · Fax +48 77 44777 20
info-PL@siegenia-aubi.com

Russland:
 SIEGENIA-AUBI OOO
 Malaja Semoenovskaja-Str. 9, Block 14 G
 RUS-107023 Moskau
 Tel. +7 095 721 17 62,
 +7 095 721 17 63, +7 095 721 17 64
 Fax +7 095 721 11 30
info-RU@siegenia-aubi.com

Schweiz:
 SIEGENIA-AUBI AG
 Zelgstraße 97
 CH-3661 Utendorf/BE
 Tel. +41 33 3 46 10-10 · Fax +41 33 3 46 10-20
info-CH@siegenia-aubi.com

Südkorea:
 SIEGENIA-AUBI Co., Ltd.
 # 1729 Rosedale Officetel
 724 Suseo-Dong, Gangnam-Gu
 ROK-Seoul 135-744
 Tel. +82 2451 1033 · Fax +82 2451 2713
info-ROK@siegenia-aubi.com

Ungarn:
 SIEGENIA-AUBI KFT
 Mártírok útja 4.
 H-6000 Kecskemét
 Tel. +36 76 50 08-10 · Fax +36 76 50 08-19
info-HU@siegenia-aubi.com

Further information regarding LM 4200

please find on

www.siegenia-aubi.com

Further information...



LM 2200
 Innovative technics for
 Aluminium windows



Rounded head windows LM RB/SF
 The tilt and turn hardware for
 rounded head, arched head
 and angled head window for
 all systems with Aluminium
 Eurogroove



HS Portal
 The new hardware programme
 for extensive tilt and slide
 elements HS 200, HS 300,
 HS 400



Productcatalogue



LM 4200

The pre-assembled clamp-on
tilt and turn system for aluminium
windows and doors